



## SECTION 1. Product and company identification

### 1.1 Product identifier

<b>Product Name</b>	: OXYGEN , MEDICAL OXYGEN , LIQUID OXYGEN
<b>Trade Names</b>	: Molecular oxygen; Oxygen molecule; Pure oxygen; O <sub>2</sub> ; UN 1072; Dioxygen; Oxygen USP, Aviator's Breathing Oxygen (ABO)
<b>Chemical formula</b>	: O <sub>2</sub>
<b>Cas No.</b>	: 7782-44-7
<b>EC No.</b>	: 231-956-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Relevant identified uses</b>	: Industrial and professional uses. Perform risk assessment prior to use. Test gas/Calibration gas. Chemical reaction / Synthesis. Laboratory use. Shield gas for welding processes Use for manufacture of electronic/photovoltaic components. Water treatment. Laser gas. Welding, cutting, heating and brazing. Food applications. Consumer use.
<b>Uses advised against</b>	: Not applicable.

### 1.3 Details of the supplier of the safety data sheet

<b>Company identification</b>	: United Industrial Gases Co., Ltd. 29 / 3 Moo.5 Bangna-Trad Road, T.Bangsaotong, A.Bangsaotong Samutprakarn 10570
<b>Tel</b>	: 0-2338-1460
<b>Emergency telephone number</b>	: (+66) 8516 71888
<b>Fax</b>	: 0-2708-3873
<b>E-mail</b>	: uiggases@gmail.com

## SECTION 2. Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008/EC (CLP/GHS)**

<b>Physical hazards</b>	: OXIDIZING GASES - Category 1 GASES UNDER PRESSURE - Compressed gas
-------------------------	---

### 2.2 Label elements

**Classification according to Regulation (EC) No. 1272/2008/EC (CLP/GHS)**

**Hazard pictograms**



GHS03



GHS04

<b>Signal word</b>	: Danger
<b>Hazard statements</b>	: H270 May cause or intensify fire; oxidiser.. H280 Contains gas under pressure; may explode if heated.
<b>Precautionary statements (CLP)</b>	
<b>Prevention</b>	: P244 Keep valves and fittings free from oil and grease.. P220 Keep away from clothing and other combustible materials..
<b>Response</b>	: P370+P376 In case of fire: Stop leak if safe to do so..
<b>Storage</b>	: P403 Store in a well-ventilated place.. P410+P403 Protect from sunlight. Store in a well-ventilated place..
<b>Disposal</b>	: Not applicable.
<b>Hazards not otherwise classified</b>	: Not applicable.

### SECTION 3. Composition / information on ingredients

Chemical Name	CAS No.	Product identifier	%
Oxygen	7782-44-7	(EC-No.) 231-956-9 (EC Index-No.) 008-001-00-8	100%

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4. First aid measures

#### 4.1 Description of first aid measures

<b>Inhalation</b>	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
<b>Skin contact</b>	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Eye contact</b>	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

**Ingestion** : As this product is a gas, refer to the inhalation section.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Inhalation** : No known significant effects or critical hazards. Acts as a simple asphyxiant.

**Skin contact** : Contact with rapidly expanding gas may cause burns or frostbite.

**Eye contact** : Contact with rapidly expanding gas may cause burns or frostbite.

**Ingestion** : As this product is a gas, refer to the inhalation section.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### SECTION 5. Fire-fighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : None known.

#### 5.2 Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** : Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.

#### 5.3 Special protective equipment and precautions for fire-fighters

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. If involved in fire, shut off flow immediately if it can be done without risk.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### SECTION 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions** : Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**6.3 Methods and material for containment and cleaning up**

- Small spills** : Immediately contact emergency personnel. Stop leak if without risk.
- Large spills** : Immediately contact emergency personnel. Stop leak if without risk. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

**SECTION 7. Handling and storage****7.1 Precautions for safe handling**

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.

Avoid contact with eyes, skin and clothing. Empty containers retain product residue and can be hazardous. Keep away from clothing, incompatible materials and combustible materials. Keep reduction valves free from grease and oil.

- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**7.2 Conditions for safe storage, including any incompatibilities**

- Storage conditions** : Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F). Keep container tightly closed and sealed until ready for use. See Section 10 for incompatible materials before handling or use.

- 7.3 Specific end use (s)** : -

**SECTION 8. Exposure controls / personal protection****8.1 Control parameters****Occupational exposure limits**

<u>Ingredient name</u>	<u>Exposure limits</u>
Oxygen	None.

**8.2 Exposure controls****8.2.1 Appropriate engineering controls**

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### 8.2.2 Individual protection measures, e.g. personal protective equipment

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.  
Appropriate techniques should be used to remove potentially contaminated clothing.  
Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye / face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.
- Hand/Skine protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### 8.2.3 Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance**

<b>Physical state</b>	: Gas. [Compressed gas.]
<b>Colour</b>	: Colorless. Blue.
<b>Odour</b>	: Odorless.
<b>Odour threshold</b>	: Not available.
<b>pH value</b>	: Not available.
<b>Molecular weight</b>	: 32 g/mole
<b>Melting point</b>	: -218.4°C (-361.1°F)
<b>Freezing poin</b>	: Not available.
<b>Boiling point</b>	: -183°C (-297.4°F)
<b>Flash point</b>	: [Product does not sustain combustion.]
<b>Critical temperature [ °C ]</b>	: -118.15°C (-180.7°F)
<b>Decomposition temperature</b>	: Not available.

<b>Evaporation rate ( ether = 1 )</b>	: Not available.
<b>Flammability range</b>	: Extremely flammable in the presence of the following materials or conditions: reducing materials, combustible materials and organic materials.
<b>Vapour pressure [ 20 °C ]</b>	: Not available.
<b>Vapour pressure [ 50 °C ]</b>	: Not available.
<b>Relative density, gas ( air = 1 )</b>	: 0.083
<b>Relative density, liquid ( water = 1 )</b>	: Not applicable.
<b>Vapor density</b>	: 1.1 (Air = 1)
<b>Solubility in water</b>	: Not available.
<b>Partition coefficient n-octanol / water [ log Kow ]</b>	: 0.65
<b>Auto-ignition temperature</b>	: Not available.
<b>Viscosity [ 20 °C ]</b>	: Not applicable.
<b>Explosive Properties</b>	: Not applicable.
<b>Oxidising Properties</b>	: Not applicable.
<b>Coefficient of oxygen equivalency ( Ci )</b>	: Not applicable.

## SECTION 10. Stability and reactivity

<b>10.1 Reactivity</b>	: No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: Hazardous reactions or instability may occur under certain conditions of storage or use. Conditions may include the following:contact with combustible materials Reactions may include the following:risk of causing fire
<b>10.4 Conditions to avoid</b>	: No specific data.
<b>10.5 Incompatible material</b>	: Highly reactive or incompatible with the following materials: combustible materials reducing materials grease oil
<b>10.6 Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11. Toxicological information

<b>11.1 Information on toxicological effects</b>	
<b>Acute toxicity</b>	: Not available.
<b>Irritation/Corrosion</b>	: Not available.
<b>Sensitization</b>	: Not available.
<b>Mutagenicity</b>	: Not available.
<b>Carcinogenicity</b>	: Not available.
<b>Reproductive toxicity</b>	: Not available.
<b>Teratogenicity</b>	: Not available.
<b>Specific target organ toxicity (single exposure)</b>	: Not available.
<b>Specific target organ toxicity (repeated exposure)</b>	: Not available.
<b>Aspiration hazard</b>	: Not available.

**Potential acute health effects**

- Eye contact** : Contact with rapidly expanding gas may cause burns or frostbite.
- Inhalation** : No known significant effects or critical hazards. Acts as a simple asphyxiant.
- Skin contact** : Contact with rapidly expanding gas may cause burns or frostbite.
- Ingestion** : As this product is a gas, refer to the inhalation section.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Potential chronic health effects**

- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

**SECTION 12. Ecological information**

**12.1 Toxicity** : Not available.

**12.2 Persistence and degradability** : Not available.

**12.3 Bioaccumulative potential**

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Oxygen	0.65	-	low

**12.4 Mobility in soil Assessment** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

**SECTION 13. Disposal considerations**

**13.1 Disposal Methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty Airgas-owned pressure vessels should be returned to Airgas. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

**SECTION 14. Transport information****14.1 In accordance with TDG**

UN number : UN1072  
 Proper shipping name : OXYGEN, COMPRESSED  
 Transport hazard class(es) : 2.2  
 Packing group : -

**14.2 Transport by sea****IMDG**

UN number : UN1072  
 Proper shipping name : OXYGEN, COMPRESSED  
 Transport hazard class(es) : 2.2 (5.1)  
 Packing group : -

**IATA**

UN number : UN1072  
 Proper shipping name : OXYGEN, COMPRESSED  
 Transport hazard class(es) : 2.2 (5.1)  
 Packing group : -

**SECTION 15. Regulatory information**

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: This material is listed or exempted.

Clean Air Act Section 112 : Not listed

**(b) Hazardous Air****Pollutants (HAPs)**

Clean Air Act Section 602 : Not listed

**Class I Substances**

Clean Air Act Section 602 : Not listed

**Class II Substances**

DEA List I Chemicals : Not listed

**(Precursor Chemicals)**

DEA List II Chemicals : Not listed

**(Essential Chemicals)****SARA 302/304****Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312**

Classification : Refer to Section 2: Hazards Identification of this SDS for classification of substance.

**State regulations****Massachusetts**



- New York** : This material is listed.
- New Jersey** : This material is not listed.
- Pennsylvania** : This material is listed.
- California Prop. 65** : This material is listed.

**International regulations**

**Chemical Weapon Convention List Schedules I, II & III Chemicals**

Not listed.

**Montreal Protocol**

Not listed.

**Stockholm Convention on Persistent Organic Pollutants**

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals**


Not listed.

**Inventory list**

- Australia** : This material is listed or exempted.
- Canada** : This material is listed or exempted.
- China** : This material is listed or exempted.
- Europe** : This material is listed or exempted.
- Japan** : Japan inventory (ENCS): Not determined.  
Japan inventory (ISHL): Not determined.
- New Zealand** : This material is listed or exempted.
- Philippines** : This material is listed or exempted.
- Republic of Korea** : This material is listed or exempted.
- Taiwan** : This material is listed or exempted.
- Thailand** : Not determined.
- Turkey** : Not determined.
- United States** : This material is listed or exempted.
- Viet Nam** : Not determined.

**SECTION 16. Other information**

**Other information**



**NFPA health hazard** : 0 Substance not considered toxic under OSHA’s Hazard Communication Standard. Under emergency conditions, this substance would offer no hazard beyond that of ordinary combustible material

**NFPA fire hazard** : 0 Substance is not considered combustible or flammable under OSHA’s Hazard Communication Standard. Substance that will not burn.

**NFPA reactivity** : 0 Normally stable material that does not react with water.  
Substance not considered explosive under OSHA's  
Hazard Communication Standard.

**NFPA specific hazard** : OXIDIZING

**DISCLAIMER OF LIABILITY**

: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.